



KAPSPETS AAA

DOG CASTLE HOUSE

Dogs Gym



Dogs Park

www.kapspetsaaa.com

MINI-O-CASTLE

MINI-O-CASTLE

Turn playtime into a full-blown adventure with the Mini-O-Castle. This versatile agility course offers 228 sq. ft. of climbing, crawling, and confidence-building fun for dogs of all sizes. Perfect for indoor resorts or outdoor parks, it features an A-frame roof for shade, 3-stage safe platforms keeping all kind of breeds entertained for hours on end.



1 GALVANIZED IRON FRAME (GI)
PREMIUM GI STRUCTURE PROTECTS

• RUST-RESISTANT
• HIGH-QUALITY POWDER-COATED FINISH
• SECURE STRENGTH

2 GRADE ONE PINE WOOD

SUPERIOR GRADE ONE PINE ENHANCED WOOD FINISHING TEXTURE
• DEEP SINGLES CHANNELS
• ROBUST & NATURAL

3 SPECIFIC COLOUR ACCENTS

• DOGS' EYES ATTRACTED TO COLOURS
• VISUALLY STIMULATING PALETTE
• ENHANCED CANINE ENGAGEMENT

4 ALLAN KEY SYSTEM

FULLY DISMANTLEABLE & MODULAR EASY ASSEMBLY & INSTALLATION
ALLAN KEY SYSTEM ONLY PRECISION JOINING

TECHNICAL SPECIFICATION CHART

MINI-O-CASTLE

A-FRAME:
WIDTH 38 INCHES (965MM) X LENGTH 18 INCHES (457 INCHES), (ROUNDED 35 TO 36 INCHES).

TABLES (1, 2, & 3) (Platform):
BIOMM LENGTH 21.8 INCHES X BIOMM WIDTH 13.8 INCHES.

INCLINE RAMP 1:
LENGTH 7 FEET (213 INCHES), WIDTH 13.8 INCHES.

INCLINE RAMP 2:
LENGTH 2 FEET 07 INCHES X WIDTH 13.8 INCHES.

STAIR CASE RAMP:
LENGTH 5 FEET (160 INCHES), WIDTH (Not Specified)

BARRICADES:
6 Posts - 31.8 INCHES LENGTH X 61 INCHES WIDTH
(Material: Water-proof MDW or Galvalume Acrylic)

MINI-O-CASTLE

SKUPAPOODMOG
www.kapspetsaaa.com

THE ICA ADVANCED WOOD FINISH SYSTEM

- 1. SANDING**
Precision sanding of all Pine surfaces.
- 2. ICA Epoxy**
Deep grain filling for moisture resistance.
- 3. Further Sanding**
Final refinement sanding stage.
- 4. ICA Filler**
Filler coating to create a flawless stage.
- 5. Lasty ICA Exterior PU**
Precision sanding of all Pine surfaces.



TRACK-O-TUNNEL



TRACK-O-TUNNEL

The TRACK-O-TUNNEL is the ultimate multi-activity fun for dogs and pet owners to enjoy together.

Luxury Bark-o-Bridge Dog Agility Playground

Premium wooden agility equipment featuring two curved tunnels, a curved bridge and a cylindrical tunnel. Crafted from polished pine with dark brown framing, it offers durability, style, and versatility only possible with the best of wood and metal.

Why Dogs Will Love It

- Variety of challenges: stairs, ramps, bridges, and tunnels for engaging training.
- Wide ramps and sturdy steps build confidence for all dogs.
- Strengthens bond between dogs and owners through interactive play.

Technical Specification TRACK-O-TUNNEL

- FRAME ROOF - WIDTH 48 INCHES (118MM) X LENGTH 115 INCHES (2916MM)
- PLATFORM 1 & PLATFORM 2 - 30 INCHES (762MM) X 36 INCHES (914MM)
- LENGTH X 115 INCHES (2916MM)
- INCLINE RAMP - LENGTH 120 INCHES (3048MM) X 115 INCHES (2916MM)
- WIDTH 18 INCHES (457MM)
- STAIR CASE RAMP - LENGTH 120 INCHES (3048MM) X 115 INCHES (2916MM)
- BARRICADE - 8 INCHES (203MM) X 120 INCHES (3048MM) X 115 INCHES (2916MM)



(SKUKAP003T01)
www.kaspetsaaa.com



1 GALVANIZED IRON FRAME (GI)
 PREMIUM SUBSTRUCTURE
 DURABLE, RUST-RESISTANT HIGH-GRADE POWDER COATED FINISH SECURE STRENGTH

2 GRADE ONE PINE WOOD
 SUPERIOR GRADE ONE PINE ENHANCED WOOD BURNING TEXTURE DEEP & UNIQUE CHARRED FINISH ROBUST & NATURAL

3 SPECIFIC COLOUR ACCENTS
 DOGS' EYES ATTRACTED TO COLOURS
 VISUALLY STIMULATING PALETTE
 ENHANCED CANINE ENGAGEMENT

4 ALLAN KEY SYSTEM
 FULLY DISMANTLEABLE & MODULAR EASY ASSEMBLY & INSTALLATION ALL AN KEY SYSTEM ONLY PRECISION JOINTING

THE ICA ADVANCED WOOD FINISH SYSTEM

- SANDING**
Precision sanding of all Pine surfaces.
- ICA Epoxy**
Deep grain filling for moisture resistance.
- Further Sanding**
Final refinement sanding stage.
- ICA Filler**
Filler coating to create a flawless stage.
- Lastly ICA Exterior PU**
Precision sanding of all Pine surfaces.

BARK-O-BRIDGE



BARK-O-BRIDGE

- Elevate your canine's training to new heights with the BARK-O-BRIDGE.
- This unique all-in-one multi-level agility challenge is a massive, robust structure.
- Features two elevated hubs with slatted roofs and decorative awnings, linked by a connecting arch bridge.
- Provides multi-directional access via a wide staircase and a large, slatted ramp.
- Includes a central log textured tunnel for a distinct element of exploration.
- Crafted from durable, high-quality materials, the BARK-O-BRIDGE is the premier centerpiece for any professional training facility or active dog park. The system is designed to challenge climbing, balancing, and problem-solving skills.

TECHNICAL SPECIFICATIONS

RIGHT SIDE

- 1. Ladder Ramp
= 4.5' wide x 7.5' long
- 2. A Frame
= 4.5' x 4.5'
- 3. Platform
= 4.0' x 4.0'

LEFT SIDE

- 4. Incline Ramp
= 4.5' wide x 7.5' long
- 5. A Frame
= 4.5' x 4.5'
- 6. Platform
= 4.0' x 4.0'

CENTRAL ELEMENTS

- 7. Arch Ramp
= 4.5' wide x 7.5' long
- 8. Tunnel
= Radius: 2.5' ft x 4.0' long
- 9. Eight Pillar
= 4.0' ft tall

SKUKAP004BOB
www.kapseptsaaa.com

LEAD TIME
4-6 WEEKS

100%
BEST PRICE

100%
Quality
Guarantee

6
YEAR
WARRANTY

GOOD WELDABLE

EASILY CLEAN
EASILY CLEAN

HIGH PRECISION

1
GALVANIZED
IRON FRAME
(GI)
PREMIUM (GI) STRUCTURE
DURABLE,
RUST-RESISTANT
HIGH-GRADE
POWDER COATED FINISH
SECURE STRENGTH

2
GRADE ONE
PINE WOOD
SUPERIOR GRADE ONE PINE
ENHANCED WOOD
BURNING TEXTURE
DEEP GRAIN UNDER
CHARRED FINISH
ROBUST & NATURAL

3
SPECIFIC
COLOUR
ACCENTS
DOGS EYES ATTRACTED
TO COLOURS
• VISUALLY STIMULATING
PALETTE
• ENHANCED CANINE
ENGAGEMENT

4
ALLIAN KEY
SYSTEM
FULLY DISMANTLEABLE
& MODULAR
EASY ASSEMBLY &
INSTALLATION
ALLIANCE KEY SYSTEM ONLY
PRECISION JOINTING

THE ICA ADVANCED WOOD FINISH SYSTEM

1. SANDING
Precision sanding of
all Pine
surfaces.

2. ICA Epoxy
Deep grain filling
for moisture
resistance.

3. Further Sanding
Final refinement
sanding stage.

4. ICA Filler
Filler coating to
create a flawless
stage.

5. Lastly ICA
Exterior PU
Precision sanding
of all Pine surfaces.

TRAIL-O-TOWER



TECHNICAL SPECIFICATION TRAIL-O-TOWER

- PLATFORMS - 4' L X 4' W - 2 NOS.
- TUNNEL - 2' FEET RADIUS, 6 FEET LENGTH
- A-FRAME ROOF - 2 NO.
- STAIRCASE RAMP - 5' L X 3' W - 1 NO.
- INCLINE RAMP - 7' L X 3' W - 1 NO.
- BARRICADES (TMF WITH ACRYLIC) - 4' L X 1.5' W - 4 NOS.

TRAIL-O-TOWER

The Trail-O-Tower is a premium quality product designed to provide your dog with a fun and challenging environment. It is made from high-quality materials and is built to last. The structure is made of galvanized iron frame and is painted with a special powder coating that is resistant to rust and corrosion. The structure is made of high-quality wood and is finished with a special finish that is resistant to scratches and damage. The structure is made of high-quality plastic and is finished with a special finish that is resistant to UV rays and fading. The structure is made of high-quality metal and is finished with a special finish that is resistant to rust and corrosion. The structure is made of high-quality wood and is finished with a special finish that is resistant to scratches and damage. The structure is made of high-quality plastic and is finished with a special finish that is resistant to UV rays and fading. The structure is made of high-quality metal and is finished with a special finish that is resistant to rust and corrosion.



SKUKAPOOSTOTTI
www.kapseptsaaa.com

1

GALVANIZED IRON FRAME (GI)
PREMIUM GI STRUCTURE

DURABLE
RUST RESISTANT
HIGH GRADE
POWER COATED FINISH
SECURE STRENGTH

2

GRADE ONE PINE WOOD

SUPERIOR GRADE ONE PINE
ENHANCED WOOD
BURNING TEXTURE
DEEP A LUNIQUE
QUARTERED FINISH
ROBUST & NATURAL

3

SPECIFIC COLOUR ACCENTS

DOGS EYES ATTRACTED
TO COLOURS
• VISUALLY STIMULATING
PALETTE
• ENHANCED CANINE
ENGAGEMENT

4

ALLAN KEY SYSTEM

FULLY DISMANTLEABLE
& MODULAR
EASY ASSEMBLY &
INSTALLATION
ALLAN KEY SYSTEM ONLY
PRE-COORDINATING

THE ICA ADVANCED WOOD FINISH SYSTEM

1. SANDING

Precision sanding of all Pine surfaces.

2. ICA Epoxy

Deep grain filling for moisture resistance.

3. Further Sanding

Final refinement sanding stage.

4. ICA Filler

Filler coating to create a flawless stage.

5. Lastly ICA Exterior PU

Precision sanding of all Pine surfaces.



WAG-O-WING



WAG-O-WING

The WAG-O-WING is a premium multi-activity agility center designed for high-energy play and professional training. The sophisticated steel structure combines weather-resistant materials to bring dogs the ultimate in fun and mental stimulation.

- **High-Rise Tunnel:** An elevated, vibrant tunnel that encourages confident movement and spatial awareness.
- **Bone-Grip Staircase:** Wide, steady steps featuring custom bone-shaped treads for a safe and thematic climb.
- **The Summit Lookout:** A sheltered tower providing a secure vantage point for pups who love the high ground.
- **Precision Slide:** A wide, smooth descent designed for a fun and rewarding finish to the course.

Whether they are zooming through the striped tunnel or conquering the climb, the WAG-O-WING offers a top-tier fitness experience for every active dog.

TECHNICAL SPECIFICATION - WAG-O-WING

Platforms: 4 L x 4 W = 2 Nos.

Tunnel: 2.5ft radius, 6ft Length

A-Frame Roof: 1 No.

Staircase: 5 L x 3 W = 1 No.

Incline Platform: 7 L x 3 W = 2 Nos.

Barricades (MDF with Acrylic): 4 L x 1.5 W = 3 Nos.

SKUKAP0006WOW1
www.kapseptsaaa.com

1 GALVANIZED IRON FRAME (GI)
PREMIUM RESISTANT

DURABLE, RUST-RESISTANT HIGH-GRADE POWDER COATED FINISH SECURE STRENGTH

2 GRADE ONE PINE WOOD

SUPERIOR GRADE ONE PINE ENHANCED WOOD BURNING TEXTURE DEEP & UNIQUE CHARRED FINISH ROBUST & NATURAL

3 SPECIFIC COLOUR ACCENTS

DOGS EYES ATTRACTED TO COLOURS • VISUALLY STIMULATING PALETTE • ENHANCED CANINE ENGAGEMENT

4 ALLAN KEY SYSTEM

FULLY DISMANTLEABLE & MODULAR EASY ASSEMBLY & INSTALLATION ALLAN KEY SYSTEM ONLY PRECISION JOINING

THE ICA ADVANCED WOOD FINISH SYSTEM

- 1. SANDING**
Precision sanding of all Pine surfaces.
- 2. ICA Epoxy**
Deep grain filling for moisture resistance.
- 3. Further Sanding**
Final refinement sanding stage.
- 4. ICA Filler**
Filler coating to create a flawless stage.
- 5. Lastly ICA Exterior PU**
Precision sanding of all Pine surfaces.



WAG-O-WAY



SKUKAP0007WOW2

www.kapseptsaas.com

WAG-O-WAY

The WAG-O-WAY is a premium quality play structure designed for dogs of all breeds and sizes. It is made of high-grade, durable, and weather-resistant materials. The structure is built with precision and attention to detail, ensuring a safe and enjoyable play experience for your furry friend. The structure is made of high-quality wood and is finished with a durable, weather-resistant coating. The structure is built with precision and attention to detail, ensuring a safe and enjoyable play experience for your furry friend.

- The structure is made of high-grade, durable, and weather-resistant materials.
- The structure is built with precision and attention to detail, ensuring a safe and enjoyable play experience for your furry friend.
- The structure is made of high-quality wood and is finished with a durable, weather-resistant coating.
- The structure is built with precision and attention to detail, ensuring a safe and enjoyable play experience for your furry friend.

Visit our website today to learn more about the WAG-O-WAY and to place your order today.

TECHNICAL SPECIFICATION WAG-O-WAY

- PLATFORMS: 4.1 X 3.4' - 2 NOS.
- TUNNEL - 2.1 FEET RADIUS, 6 FEET LENGTH
- A FRAME ROOF 1 NO.
- STAIRCASE 5.1 X 3.3' W - 1 NO.
- INCLINE PLATFORM 7.1 X 3.3' W - 1 NO.
- BARRICADES (MGR WITH ACRYLIC) 4.1 X 1.5' W - 4 NOS.

1 GALVANIZED IRON FRAME (GI) PREMIUM GI STRUCTURE

DURABLE RUST-RESISTANT HIGH-GRADE POWDER COATED FINISH SECURE STRENGTH

2 GRADE ONE PINE WOOD

SUPERIOR GRADE ONE PINE ENHANCED WOOD BURNING TEXTURE DEEP & UNIQUE CHARRED FINISH ROUST & NATURAL

3 SPECIFIC COLOUR ACCENTS

DOG'S EYES ATTRACTED TO COLOURS

- VISUALLY STIMULATING PALETTE
- ENHANCED CANINE ENGAGEMENT

4 ALLAN KEY SYSTEM

FULLY DISMANTLEABLE & MODULAR EASY ASSEMBLY & INSTALLATION ALLAN KEY SYSTEM ONLY PRECISION JOINING



THE ICA ADVANCED WOOD FINISH SYSTEM

1. SANDING
Precision sanding of all Pine surfaces.
2. ICA Epoxy
Deep grain filling for moisture resistance.
3. Further Sanding
Final refinement sanding stage.
4. ICA Filler
Filler coating to create a flawless stage.
5. Lastly ICA Exterior PU
Precision sanding of all Pine surfaces.

DASH-O-DUCT



DASH-O-DUCT

Elevate your dog's playing with the DASH-O-DUCT through intricately designed agility structure that bonds performance, durability, and fun. Crafted from high quality materials, this multi-functional setup features dual access ramps, a central crawl-through tunnel, and an elevated platform for exploration and rest.

The textured, cleanable surface provides extra grip for confident movement, while the advanced design keeps dogs safely engaged. Features for boosting sense of fitness, coordination, and mental stimulation include adjustable semi-outrigger flaps that obstruct the platform, crawling and exploring.

- Dual Access Ramps:**
- Central Crawl-Through Tunnel:**
- Elevated Platform:**

Use for training, dog exercise or preventive pet physical therapy. Complete set includes 100 lbs. dog, dog leashes, dog toys, dog treats, dog food, dog water, dog bowls, dog toys, dog leashes, dog treats, dog food, dog water, dog bowls.



TECHNICAL SPECIFICATION DASH-O-DUCT

- PLATFORMS:** 4' L X 4' W - 2 NOS.
- TUNNEL:** 2-5 FEET RADIUS; 6 FEET LENGTH
- A-FRAME ROOF:** 1 NO.
- STAIRCASE RAMP:** 5' L X 3' W - 1 NO.
- INCLINE RAMP:** 7' L X 3' W - 1 NO.
- PILLERS:** 7' - 4 NOS. AND PILLERS: 4' - 4 NOS.
- BARRICADES (MDF WITH ACRYLIC):** 4' L X 1.5' W - 4 NOS.



www.kapseptsa.com

1 GALVANIZED IRON FRAME (GI)
PREMIUM CONSTRUCTION

✓ DURABLE
✓ RUST-RESISTANT
✓ HIGH-GRADE
✓ POWDER COATED FINISH
✓ SECURE STRENGTH

2 GRADE ONE PINE WOOD

SUPERIOR GRADE ONE PINE
✓ ENHANCED WOOD
✓ BURNING TEXTURE
✓ DEEP & UNIFORM
✓ CHARRED FINISH
✓ REDDISH & NATURAL

3 SPECIFIC COLOUR ACCENTS

✓ DOGS' EYES ATTRACTED TO COLOURS
✓ VISUALLY STIMULATING
✓ PALETTE
✓ ENHANCED CANINE
✓ ENGAGEMENT

4 ALLAN KEY SYSTEM

✓ FULLY DISMANTLEABLE
✓ & REGRAB
✓ EASY ASSEMBLY &
✓ INSTALLATION
✓ RETRACTION
✓ ALLAN KEY SYSTEM ONLY
✓ PRECISION JOINTING

THE ICA ADVANCED WOOD FINISH SYSTEM

- 1. SANDING**
 Precision sanding of all Pine surfaces.
- 2. ICA Epoxy**
 Deep grain filling for moisture resistance.
- 3. Further Sanding**
 Final refinement sanding stage.
- 4. ICA Filler**
 Filler coating to create a flawless stage.
- 5. Lastly ICA Exterior PU**
 Precision sanding of all Pine surfaces.

WOOD-O-BARK



TECHNICAL SPECIFICATION WOOD-O-BARK

- Platforms
4 L x W - 2 Nos.
- A-Frame Roofs 1 No.
- Staircase
5 L x W - 1 No.
- Incline Platform
6 L x W - 1 No.
- Barricades (MDF with Acrylic)
4 L x 1.5 W - 3 Nos.
- Barricades (Pine Wood)
4 L x 1.5 W - 5 Nos.
- Overall Dimensions
8 L x 9 W x 8 H

WOOD-O-BARK Natural Play. Elevated Fun

Bring the charm of nature to your pet's playtime with the WOOD-O-BARK. Making beautiful play spaces for your dog, this play set is designed for durability, safety, comfort, freedom & fun. A great addition to your dog's play area, it offers multiple ways for dogs to climb, explore and

play. The smooth yet friendly texture makes it safe for your dog's paws, while providing an elevated play area for your dog to rest, climb, and play. WOOD-O-BARK comes in a variety of colors and finishes, allowing you to choose the one that best suits your dog's personality.

- Encourage exercise and balance.
- Multiple climbing pathways.
- Safe timber finish with grip.
- Socializing and unwinding space.



LEAD TIME
2-6 WEEKS

100% BEST PRICE

100% Quality

6 MONTH WARRANTY

WOOD WELDABILITY

BABY CLEAN EASILY CLEAN

HIGH RIGIDITY

SKUKAP0009WOB

1 GALVANIZED IRON FRAME (GI)
PROBLEM RESISTANT

● DURABLE
● RUST-RESISTANT
● HIGH-GRADE
● POWDER COATED FINISH
● SECURE STRENGTH

2 GRAB-O-NI PINE WOOD

● SUPERIOR GRADE ONE PINE
● ENHANCED WOOD
● BURNING TEXTURE
● DEEP & UNIQUE
● CHARRED FINISH
● ROBUST & NATURAL

3 SPECIFIC COLOUR ACCENTS

● DOGS EYES ATTRACTED TO COLORS
● VISUALLY STIMULATING PALETTE
● ENHANCED CANINE ENGAGEMENT

4 ALLAN KEY SYSTEM

● FULLY DISMANTLEABLE & MODULAR
● EASY ASSEMBLY & INSTALLATION
● ALLAN KEY SYSTEM ONLY
● PRECISION JOINTING

THE ICA ADVANCED WOOD FINISH SYSTEM

1. SANDING
Precision sanding of all Pine surfaces.
2. ICA Epoxy
Deep grain filling for moisture resistance.
3. Further Sanding
Final refinement sanding stage.
4. ICA Filler
Filler coating to create a flawless stage.
5. Lastly ICA Exterior PU
Precision sanding of all Pine surfaces.

PAW-O-PLEX



PAW-O-PLEX
Dynamic Play, Endless Exploration

Unleash your dog's energy with the PAW-O-PLEX, a versatile agility structure designed for active play and exploration. Featuring a sturdy elevated platform, dual access points with stairs and ramps, and a curved crawl tunnel, it offers a complete activity experience in one compact design.

- Built with durable materials and vibrant finishes, the PAW-O-PLEX promotes strength, coordination, and confidence while keeping dogs mentally engaged.
- Perfect for play zones, parks, or training areas, it's an all-in-one hub where pets can climb, crawl, and conquer new challenges.



TECHNICAL SPECIFICATION PAW-O-PLEX

- 1. 3 PLATFORMS Each Size - 4'x4'
- 2. 2 PILLERS Height - 7'
- 3. CURVE BEND RAMP - 3'
- 4. STAIRCASE RAMP - 3'x4'



- LEAD TIME 26 WEEKS
- 100% BEST PRICE
- 100% Quality
- 6 YEARS WARRANTY
- GOOD WELDABILITY
- SPRAY CLEAN EASILY CLEAN
- HIGH RIGIDITY

SKUKAPOOTOPOP
www.kapseptsaaa.com

- GALVANIZED IRON FRAME (GI)**
PREMIUM IDEOTECTURE
DURABLE
RUST-RESISTANT
HIGH-GRADE
POWDER COATED FINISH
SECURE STRENGTH
- GRADE ONE PINE WOOD**
SUPERIOR GRADE ONE PINE
ENHANCED WOOD
BURNING TEXTURE
DEEP & UNIQUE
CHARRED FINISH
ROBUST & NATURAL
- SPECIFIC COLOUR ACCENTS**
DOGS EYES ATTRACTED TO COLOURS
*VISUALLY STIMULATING
PALETTE
* ENHANCED CANINE
ENGAGEMENT
- ALLAN KEY SYSTEM**
FULLY DISMANTLEABLE & MODULAR
EASY ASSEMBLY & INSTALLATION
ALLAN KEY SYSTEM ONLY
PRECISION JOINTING

THE ICA ADVANCED WOOD FINISH SYSTEM

- 1. SANDING**
Precision sanding of all Pine surfaces.
- 2. ICA Epoxy**
Deep grain filling for moisture resistance.
- 3. Further Sanding**
Final refinement sanding stage.
- 4. ICA Filler**
Filler coating to create a flawless stage.
- 5. Lastly ICA Exterior PU**
Precision sanding of all Pine surfaces.

TUNNEL-O-TAILS



The Ultimate Professional Dog Playground

Elevate your dog's training with the Tunnel-O-Tails system. Designed for durability and peak performance, this premium agility set builds confidence, speed, and coordination.

- Dual-Size Options:** Available in Large and Medium to suit any breed or space.
- Key Obstacles:** Features tunnels, arch ramps, A-frames, and platforms for a complete workout.
- Professional Build:** Heavy-duty galval and barriquets ensure maximum stability and safety.

Perfect for fitness, focus, and fun.

TECHNICAL SPECIFICATION TUNNEL-O-TAILS (LARGE)	
Platform:	41" x 41" - 2 Nos.
Arch Ramp:	2.5' x 2' - 2 Nos.
A-Frame:	2' x 2' - 1 No.
Tunnel:	2.2' Radius x 6' Length - 1 No.
Arch Ramp:	2.5' x 2' - 1 No.
Platform:	2' x 2' - 2 Nos. and Pallets
Barriquets (MPF with Acrylic):	4" x 12" - 4 Nos.
TECHNICAL SPECIFICATION TUNNEL-O-TAILS (MEDIUM)	
Platform:	21.5" x 21" - 2 Nos.
Arch Ramp:	2.5' x 2' - 2 Nos.
A-Frame:	2' x 2' - 1 No.
Tunnel:	2.2' Radius x 3' Length - 1 No.
Arch Ramp:	2.5' x 2' - 1 No.
Platform:	2' x 2' - 2 Nos. and Pallets
Barriquets (MPF with Acrylic):	4" x 12" - 4 Nos.



1 GALVANIZED IRON FRAME (GI)
PREMIUM GI STRUCTURE

DURABLE
RUST-RESISTANT
HIGH-GRADE
POWDER COATED FINISH
SECURE STRENGTH

2 GRADE ONE PINE WOOD

SUPERIOR GRADE ONE PINE
ENHANCED WOOD
BURNING TEXTURE
DEEP & UNIQUE
CHARRED FINISH
ROBUST & NATURAL

3 SPECIFIC COLOUR ACCENTS

DOGS EYES ATTRACTED
TO COLOURS
• VISUALLY STIMULATING
PALETTE
• ENHANCED CANINE
ENGAGEMENT

4 ALLAN KEY SYSTEM

FULLY DEMOUNTABLE
& MODULAR
EASY ASSEMBLY &
INSTALLATION
ALLAN KEY SYSTEM ONLY
PRECISION JOINTING

SKUKAPOOITOT

LEAD TIME
2-6 WEEKS

100%
BEST PRICE
GUARANTEE

100%
Quality
GUARANTEE

BARRETT'S
6
YEAR
WARRANTY

GOOD WELDABLE

EASILY CLEAN
EASILY CLEAN

HIGH RIGIDITY


THE ICA ADVANCED WOOD FINISH SYSTEM

- 1. SANDING**
Precision sanding of all Pine surfaces.
- 2. ICA Epoxy**
Deep grain filling for moisture resistance.
- 3. Further Sanding**
Final refinement sanding stage.
- 4. ICA Filler**
Filler coating to create a flawless stage.
- 5. Lastly ICA Exterior PU**
Precision sanding of all Pine surfaces.

BRIDGE-O-TUNNEL



LARGE



BRIDGE-O-TUNNEL

Elevate your pup's playtime with the BRIDGE-O-TUNNEL, the ultimate multi-functional agility station designed for backyard fun and fitness. This compact powerhouse combines three essential obstacles into one sleek, durable design.

- **Climb & Conquer:** Dogs can build confidence and core strength on the steady incline Ramp that leads to a spacious elevated observation platform.
- **Cool Comfort:** The platform features a classic A-frame roof, providing much-needed shade and sun protection during outdoor training sessions.
- **The Hidden Path:** Beneath the platform lies a built-in Slit-Wood Tunnel, perfect for agility drills or a quick game of hide-and-seek.

Crafted with premium wood and a sturdy black-finish frame, the BRIDGE-O-TUNNEL is where high-energy exercise meets architectural style. Give your dog the bridge to a better workout!



TECHNICAL SPECIFICATION	
BRIDGE-O-TUNNEL (LARGE)	
• Platform - 61.5" W x 41.5" H	
• A-Frame Roof 61.5"	
• Tread - 6" x 1.5" x 2.5" Length - 2"	
• Incline Ramp - 61.5" W x 27" H	
• Pillars - 4" x 4"	
• Tunnel - 61.5" W x 27" H with height of 12" x 27" x 4"	
BRIDGE-O-TUNNEL (MEDIUM)	
• Platform - 41.5" W x 27" H	
• A-Frame Roof - 41.5" W x 27" H	
• Tread - 6" x 1.5" x 2.5" Length - 2"	
• Incline Ramp - 41.5" W x 27" H	
• Pillars - 4" x 4"	
• Barbecue Grill - 18" W x 36" L	
• Tunnel - 41.5" W x 27" H	



MEDIUM


SKUKAPODOBOT



<p>1 GALVANIZED IRON FRAME (GI)</p> <p>PREMIUM STRUCTURE</p> <p>DURABLE RUST-RESISTANT HIGH-GRADE POWDER COATED FINISH SECURE STRENGTH</p>	<p>2 GRADE ONE PINE WOOD</p> <p>SUPERIOR GRADE ONE PINE ENHANCED WOOD BURNING TEXTURE DEEP & UNIQUE CHARRED FINISH ROBUST & NATURAL</p>	<p>3 SPECIFIC COLOUR ACCENTS</p> <p>DOGS EYES ATTRACTED TO COLOURS • VISUALLY STIMULATING PALETTE • ENHANCED CANINE ENGAGEMENT</p>	<p>4 ALLAN KEY SYSTEM</p> <p>FULLY DISMANTLEABLE & MODULAR EASY ASSEMBLY & INSTALLATION ALLAN KEY SYSTEM ONLY PRECISION JOINING</p>
---	--	---	--

THE ICA ADVANCED WOOD FINISH SYSTEM

<p>1. SANDING</p> <p>Precision sanding of all Pine surfaces.</p>	<p>2. ICA Epoxy</p> <p>Deep grain filling for moisture resistance.</p>	<p>3. Further Sanding</p> <p>Final refinement sanding stage.</p>	<p>4. ICA Filler</p> <p>Filler coating to create a flawless stage.</p>	<p>5. Lastly ICA Exterior PU</p> <p>Precision sanding of all Pine surfaces.</p>
---	---	---	---	--



Dogs Park & Dogs Gym
Equipment Design & Products Mfr.

TM

KAPSPETS

AAA

DOGSPARK

DOGSGYM

www.kapspetsaaa.com 8080680805 / 9619616600